No.



9500014

HELER UNIVERED SYNAMIES OF ANTERRI

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Mestern Plant Breeders

Mherens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A part hereof, and the various requirements of LAW in such cases made and provided have been COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE GHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR RTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

WHEAT

'Kofa'

In Testimonn Thereof, I have hereunto set my hand and caused the seal of the Hant Antiety protection Office to be affixed at the City of Washington, D.C. this thirty-first day of October in the year of our Lord one thousand nine hundred and ninety-five.

Plant Variety Protection

Pub ic reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.


U.S. DEPARTMENT OF A AGRICULTURAL MARKE	AGRICULTURE TING SERVICE		Application is required in order to		
APPLICATION FOR PLANT VARIET	determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).				
NAME OF APPLICANT(S) (as it is to appear on the Certificate)		2. TEMPORARY DESIGNATION OR EXPERIMENTAL NO.	3. VARIETY NAME		
WESTERN PLANT BREEDERS, Inc.		PH888-260	KOFA		
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)		5. PHONE (include area code)	FOR OFFICIAL USE ONLY		
8111 Timberline Drive Bozeman, MT 59715		(406)587-1218	9500014		
			F Date		
6. GENUS AND SPECIES NAME Triticum durum	7. FAMILY NAME (Botanio Gramineae	al)	Time A.M. P.M.		
8. CROP KIND NAME (Common Name)	lo r	PATE OF DETERMINATION	F Filing and Examination Fee:		
Durum wheat		lay 1, 1992	E \$ 2325.00 S Date		
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGAI Corporation	NIZATION (Corporation, part	nership, association, etc.)	R Och. 17/794 E Certificate Fee:		
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	L12 04	TE OF INCORPORATION	E \$ 300.00		
Arizona	1		V Date E		
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO		ust 24, 1990	5 (CER 2/1995		
Kim C. Shantz Western Plant Breeders, 6720 West C Chandler, AZ 85226	. .	PHONE (include area code	:		
 a. X Exhibit A, Origin and Breeding History of the Variety. b. X Exhibit B, Novelty Statement. c. X Exhibit C, Objective Description of Variety. d. Exhibit D, Additional Description of Variety. e. X Exhibit E, Statement of the Basis of Applicant's Ownersh f. X Seed Sample (2,500 viable untreated seeds). Date Seed g. X Filing and Examination Fee (\$2,150) made payable to "T 	Sample mailed to Plant V reasurer of the United Sta	ites."	 -		
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SO Protection Act.) YES (II "YES." answer items 16 and 17 be.	7404	AS A CLASS OF CERTIFIED SEED? (See), " skip to item 18 below)	e section 83(a) of the Plant Variety		
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS NUMBER OF GENERATIONS?	i	ITEM 16, WHICH CLASSES OF PRODUC	r		
L YES NO	☐ Fou	NDATION REGISTE	ERED CERTIFIED		
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN THE U.S.? YES (If "YES," through Plant Variety Protection Act Patent Act. Give date:					
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR M YES (II "YES," give names of countries and dates) Decem NO		U.S.A.	SHEPP CONTRACTOR OF THE SHEPP		
20. The applicant(s) declare(s) that a viable sample of basic serequest in accordance with such regulations as may be appl. The undersigned applicant(s) is (are) the owner(s) of this uniform, and stable as required in section 41, and is entitled Applicant(s) is (are) informed that false representation here.	icable. sexually reproduced n d to protection under th	ovel plant variety, and believe e provisions of section 42 of the P	(s) that the variety is distinct.		
SIGNATURE OF APPLICANT [Owner(s)]	CAPACITY OR THE	t Breeden	DATE 9/16/94		
DRBiggerslaft	CAPACITY OR TO	ral Manager	9-30-94		
FORM CSSD-470 (5-89) Form of FORM LS-470 (1966, is obsolete.					

14 A. Origin and Breeding History

KOFA is a spring durum wheat selected from a Western Plant Breeders' generated Male Sterile Facilitated Recurrent Selection (MSFRS) population designated Dicoccom alpha-85 S-1. Dicoccom alpha-85 was developed by crossing desert durum lines and varieties onto male sterile plants in Dicoccom alpha-84 in 1985. Dicoccom alpha-85 is basically backcross two of adapted durum lines to a cross between male sterile plants in SDP-82 S-1 and a group of higher protein Triticum dicoccom lines. The Triticum dicoccom lines were obtained from Dr. Giles Waines of the University of California Riverside in 1983. Two crosses were made from each of the following T. dicoccom lines: G3847, G3881, G3882, G3886, G3892, G3899, G3903, G3904, G3905, G3906, G3908, G3911, G3930, G3956, G3971, G3984, G3987, G3988, G4015, G4022, G4023, G4025, and G4034. The crosses were bulked and the F1 was grown at Bozeman, Montana in 1985. From the F2 grown at Phoenix, Arizona in 1986, selected heads were bulked and the resulting F3 was grown at Bozeman, Montana in 1986. Spikes were selected and were grown as head rows at Phoenix, Arizona in 1987. Spikes were selected from desirable rows and F5 head rows were planted at Phoenix, Arizona in 1988. One row designated as PH888-260 was harvested in bulk and yield tested in the Desert Durum area in 1989, 1990, 1991, and 1992. In 1991, 24 spikes of PH888-260 were selected and were grown as head rows at Bozeman, Montana. Twelve non segregating rows were selected and seeded as head row plots at Phoenix in 1992. resulting seed was used to plant ten acres at Bozeman, Montana in 1992. Foundation seed was produced in Yuma, Arizona in 1993. A variant that is similar to KOFA but is 10 cm. to 15cm. taller occurs at a frequency of .02%.

KOFA is a stable and uniform cultivar in agronomic appearance and performance across several generations and growing conditions. Agronomic data to support stability is

presented in the table. The selection criteria used during the breeding of KOFA were good yield, high per cent protein, good test weight, semidwarf growth habit, acceptable flowering date, good semolina color, high sedimentation values, high hard amber vitreous counts, strong mixographs, high alveograph W values, and excellent spaghetti firmness scores.





Western Plant Breeders

"Breeders of WestBred™ Varieties"

35

April 29, 1995

Mr. Alan A. Atchley USDA/AMS/SD Plant Variety Protection Office 10301 Baltimore Blvd. Beltsville, MD 20705-2351

SUBJECT: PV Application 9500014, Wheat variety 'Kofa'

Dear Alan:

Addendum to Exhibit A: Stability and uniformity have been observed in Kofa over four generations.

Revised Exhibit E: The variety 'Kofa' for which Plant Variety Protection is hereby sought was developed by Kim C. Shantz, an employee of Western Plant Breeders, Inc., all rights to any invention, discovery, or development made by the employee while employed by Western Plant Breeders, Inc., were assigned to Western Plant Breeders, Inc. with no rights of any kind retained by the employee.

Western Plant Breeders, Inc. requests that the variety 'Kofa' be issued a certificate of Plant Variety Protection under the revised PVP act of 1994.

Sincerely,

Kim Shantz

Wheat Breeder

C Shart

Novelty Statement

KOFA is a day length insensitive spring durum wheat with an average height of 89 centimeters which is the same height as WestBred 881. KOFA most resembles WestBred 881 but differs from WestBred 881 in that Kofa has yellow anthers while WestBred 881 has purple anthers. KOFA has white auricles while WestBred 881 auricles have anthocyanin present. has green colored leaves with waxy bloom. The flag leaf is twisted and recurved. The stems are solid until near maturity and have waxy bloom. The spikes are long, mid-wide, dense, erect, and fusiform with long white awns. The glume shoulders are narrow and apiculate. The glume beaks are narrow, medium and acuminate. KOFA has long, wide, and elliptical seeds with short, medium non-collared brushes. The crease is narrow and The cheeks are rounded and the germ size is medium. The above comparisons along with the objective description (14C) show Kofa to be a novel variety of durum wheat.

U. S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN AND SEED DIVISION
BELTSVILLE, MARYLAND 20785
OBJECTIVE DESCRIPTION OF VARIETY
WHEAT (TRITICUM SPP.)

EXHIBIT C (Wheat)

INSTRUCTIONS: See Reverse, WHEAT (TRITICU	M SPP)
NAME OF APPLICANTIS	FOR OFFICIAL USE ONLY
Western Plant Breeders, Inc. ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)	PVPO NUMBER DU U 4
8111 Timberline Drive	VARIETY NAME OR TEMPORARY
Bozeman, MT 59715	DESIGNATION
Do Domair, 111 00/10	PH888-260 KOFA
Place the appropriate number that describes the varietal character of th	is variety in the boxes below
Place a zero in first box (e.s. 0 8 9 or 0 9) when number is eith	er 99 or less or 9 or less.
1. KIND:	
2 1 = COMMON 2 = DURUM 3 = EMMER 4 = SPELT 5 = POL	ish 6 = POULARD 7 = CLUB
2. TYPE,	2 17
1 1 = SPRING 2 = WINTER 3 = OTHER (Specify) 2	1 = SOFT 3 = OTHER (Specify) 2 = HARD
3 1 = WHITE 2 = RED 3 = OTHER (Specify) Amber	
3. SEASON - NUMBER OF DAYS FROM EMERGENCE TO:	
9 2 FIRST FLOWERING	0 0 LAST FLOWERING
4. MATURITY (50% Flowering):	
8 NO. OF DAYS EARLIER THAN	1 = ARTHUR 2 = SCOUT 3 = CHRIS
0 NO. OF DAYS LATER THAN	4 = LEMHI 5 = NUGAINES 6 = LEEDS
5. PLANT HEIGHT (From soil level to top of head):	7. WestBred Turbo 8. WestBred 881
8 9 CM. HIGH	7.= WestBred Turbo
0 CM. TALLER THAN	8 = WestBred 881
5 CM. SHORTER THAN	1 = ARTHUR 2 = SCOUT 3 = CHRIS 4 = LEMNI 5 = NUGAINES 6 = LEEDS
6. PLANT COLOR AT BOOTING (See reverse): 7. A	THER COLOR:
2 = YELLOW GREEN 2 = GREEN 3 = BLUE GREEN 1	1 = YELLOW 2 = PURPLE
8. STEM:	<u> </u>
1 Anthocyanin: 1 = ABSENT 2 = PRESENT 2	Waxy bloom: 1 = ABSENT 2 = PRESENT
2 Hairiness of last internode of rachis: 1 = ABSENT 2 = PRESENT 2	Internodes: 1 = HOLLOW 2 = SOLID
4 NO. OF NODES (Originating from node above ground)	9 CM. INTERNODE LENGTH BETWEEN FLAG LEAF AND LEAF BELOW
9. AURICLES:	
1 Anthocyanin: 1 = ABSENT 2 = PRESENT 1	Hairiness: = ABSENT 2 = PRESENT
10. LEAF:	
2 Flag leaf at 1 = ERECT 2 = RECURVED 2 booting stage: 3 = OTHER (Specify):	Flag leaf: 1 = NOT TWISTED 2 = TWISTED
	Waxy bloom of flag leaf sheath: = ABSENT 2 = PRESENT
1 6 MM. LEAF WIDTH (First load below flag load)	8 CM. LEAF LENGTH (First lest below flag leaf):
ORM LMGS 470-6 (6-82) (Formerly Form LPGS 470-6 (3-79), which may be u	sed)

11. HEAD:			
2 Density: 1 = LAX	2 = DENSE		RING 2 = STRAP 3 = CLAVATE R (Specify)
4 Awnedness: 1 = A	WNLESS 2 = APICALLY AWNLETED	3 = AWNLETED 4 = AWNE	ED .
Color at maturity: 5	I = WHITE 2 = YELLOW 3 = PINK 4 5 = BROWN 6 = BLACK 7 = OTH		
8 CM. LENGTH		1 7 MM. WIOTH	
12. GLUMES AT MATUR 3 Length: 1 = SHORT 3 = LONG		3 = WIDE (
1 521	TING 2 = OBLIQUE 3 = ROUNDED RE 5 = ELEVATED 6 = APICULATE	3 Beak: 1 = ОВТ USE	2 = ACUTE 3 = ACUMINATE
13. COLEOPTILE COLOR	₹:	14. SEEDLING ANTHOC	YANIN:
1 1 = WHITE 2 = F	RED 3 = PURPLE	1 1 = ABSENT	2 = PRESENT
15. JUYENILE PLANT GE	OWTH HABIT:		
2 1 = PROSTRATE	2 = SEMI-ERECT 3 = EREC	ο τ	
16. SEED:	/		
3 Shape: 1 = OVATE	2 = OVAL 3 = ELLIPTICAL	1 Cheek: 1 = ROUND	ED 2 = ANGULAR
2 Brush: 1 = SHORT	2 = MEDIUM 3 = LONG	Brush: 1 = NOT C	OLUARED 2'= COLLARED
Phenol reaction (See instructions):	1 = IVORY 2 = FAWN 3 = LT. BROW 4 = BROWN 5 = BLACK	N	
Color: 1 = WHITE	2 = AMBER 3 = RED 4 = PURPLE	5 = OTHER (Specify)	
9 MM. LENGTH	4 MM. WIOTH	6 0 GM. PER 1000	SEEDS
17. SEED CREASE:			
1 Width: 1 = 60% OR L	ESS OF KERNEL 'WINOKA'	Depth: 1 = 20 % Of	R LESS OF KERNEL 'SCOUT'
2 = 80% OR L	ESS OF KERNEL 'CHRIS'		LESS OF KERNEL 'CHRIS'
	AS WIDE AS KERNEL 'LEMHI'	3 = 50 % OF	R LESS OF KERNEL 'LEMH!'
· · · · ·	ted, 1 = Susceptible, 2 = Resistant)		
0 STEM RUST (Races)	0 LEAF RUST	0 STRIPE RUST	0 LOOSE SMUT
0 POWDERY MILDEW	O BUNT	OTHER (Specify)	
19. INSECT: (0 = Not Teste	d, 1 = Susceptible, 2 = Resistant)		
0 SAWFLY	0 APHID (Bydv.)	O GREEN BUG	O CEREAL LEAF BEETLE
OTHER (Specify)	HESSIAN FLY	0 GP 0 A	0 B 0 C
	RACES:	0 D 0 E	0 F 0 G
0. INDICATE WHICH VARIE	TY MOST CLOSELY RESEMBLES THAT S	UBMITTED:	
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant tillering	WestBred 881	Seed size	WestBred 881
Leaf size	WestBred 881	Seed shape	WestBred 881
Leaf color	WestBred 881	Coleoptile elongation	WestBred 881
Leaf carriage	WestRred 881	Seedling pigmentation	Most Prod 991

INSTRUCTIONS

GENERAL: The following publications may be used as a reference aid for the standardization of terms and procedures for completing this form:

- (a) L.W. Briggle and L. P. Reitz, 1963, Classification of Triticum Species and Wheat Varieties Grown in the United States, Technical Bulletin 1278, United States Department of Agriculture.
- (b) W.E. Walls, 1965, A Standardized Phenol Method for Testing Wheat Seeds for Varietal Purity, contribution No. 28 to the handbook of seed testing prepared by the Association of Official Seed Analysts. (See attachment.)

LEAF COLOR: Nickerson's or any recognized color fan should be used to determine the leaf color of the described variety.

Table 1

Yield in pounds per acre of KOFA and presently grown varieties in Western Plant Breeders' trials in California and Arizona.

Location	Year	KOFA	WestBred 881	WestBred <u>Turbo</u>	Yavaros-79
Phoenix, AZ	1989	4864	4070	5248	5100
	1990	5634	5096	7697	6643
•	1991	6669	6618	8934	8384
	1992	6912	6451	7616	7565
Phoenix late,					
AZ	1990	5760	5504	5734	6362
	1991	7181	6912	8166	7923
	1992	5346	4981	4956	53 4 6
El Centro, CA	1990	5428	5547	6453	5440
	1991	6643	6062	8141	8022
	1992	5072	4958	6132	4902
San Joaguin,CA	1990	7235	6582	8459	8582
	1991	5929	5469	8712	8204
Yuma, AZ	1992	6315 6076	5770 5694	8035 7253	6631 6854

Table 2

Percent protein of KOFA and presently grown varieties in Western
Plant Breeders' trials.

Location	<u>Year</u>	KOFA	WestBred 881	WestBred Turbo	Yavaros-79
Phoenix,AZ	1989 1990 1991 1992	14.5 14.4 14.9 13.8	14.9 14.2 15.4 13.5	13.7 12.7 14.1 11.9	13.1 12.5 12.8 11.5
Phoenix, AZ Late	1990 1991 1992	13.9 14.7 15.1	13.1 14.8 15.2	13.5 13.4 14.2	11.9 12.2 13.6
El Centro, CA	1990 1991 1992	11.5 15.5 15.4	11.6 15.7 16.0	9.9 14.1 14.5	10.1 13.2 13.3
San Joaquin,CA	1990 1991	13.8 14.6	13.9 15.3	12.1 13.2	11.7 12.8
Yuma, AZ	1992	$\begin{array}{c} 15.4 \\ 14.4 \end{array}$	$\frac{15.5}{14.5}$	$\frac{14.0}{13.2}$	$\frac{13.3}{12.5}$

Table 3

Semolina Color of KOFA and presently grown varieties in Western Plant Breeders' trials.

Location	<u>Year</u>	KOFA	WestBred 881	WestBred <u>Turbo</u>	Yavaros-79
Phoenix, AZ	1989 1990 1991 1992	2.0 2.0 2.5 2.0	2.0 2.5 2.0 3.0	2.5 3.0 2.5 3.0	2.9 3.5 3.0 3.7
Phoenix,AZ Late	1990 1991 1992	2.0 2.0 2.7	3.0 2.0 2.0	3.0 2.5 2.7	3.5 3.0 3.3
El Centro, CA	1990 1991 1992	2.5 2.0 2.7	2.3 2.0 3.0	3.0 3.0 3.3	3.3 3.5 4.0
San Joaquin,CA	1990 1991	2.5	2.5	3.0 2.5	4.0
Yuma, AZ	1992	$\frac{2.3}{2.3}$	$\frac{2.7}{2.4}$	3.0	<u>4.0</u> 3.5

^{*} A visual rating with 1 = more yellow than the best commercial varieties, 2 = best commercial varieties,

^{3 =} below average color of commercial varieties,

^{4 =} un-cceptable color.

Table 4

S.D.S. sedimentation of KOFA and presently grown varieties in Western Plant Breeders' trials.

Location	Year	KOFA	WestBred 881	WestBred Turbo	Yavaros-79
Phoenix, AZ	1989 1990 1991 1992	31 35 36 36	29 33 36 35	28 27 30 33	24 24 26 28
Phoenix, AZ Late	1990 1991 1992	33 36 37	31 33 35	28 30 34	26 26 31
El Centro, CA	1990 1991 1992	33 38 40	35 34 37	29 32 35	25 27 29
San Joaquin,CA	1990 1991	36 43	36 38	30 32	24 30
Yuma, AZ	1992	38 36.3	36 34.5	$\frac{34}{30.9}$	30 26.9

Table 5

Plant heightof KOFA and presently grown varieties in Western Plant Breeders' trials.

Location	Year	KOFA	WestBred 881	WestBred <u>Turbo</u>	Yavaros-79
Phoenix, AZ	1989 1990 1991 1992	32 35 37 37	30 35 36 36	34 39 37 42	33 36 38 39
Phoenix,AZ Late	1990 1991	32 37	34 36	35 40	37 38
El Centro, CA	1990 1991 1992	31 36 34	32 36 34	33 38 36	34 37 38
San Joaquin,CA	1990 1991	37 39 35.2	37 39 35.0	37 39 37.3	37 <u>38</u> 36.8

Plant height is in inches.

Days to anthesis after March 1, 1989 of KOFA and presently grown varieties in Western Plant Breeders' trials.

Location	Year	KOFA	WestBred 881	WestBred <u>Turbo</u>	Yavaros-79
Phoenix	1989 1990 1991 1992	12 19 27 19	12 21 27 19	23 30 34 30	18 27 28 27
Phoenix late, AZ	1990	43	44	45	44

Table 7

Percent lodging of KOFA and presently grown varieties in Western Plant Breeders' trials.

Location	Year	KOFA	WestBred 881	WestBred <u>Turbo</u>	Yavaros-79
Phoenix	1990 1991 1992	30 8 33	10 3 18	15 63 58	25 53 48
Phoenix late, AZ	1991	20	5	20	50
San Joaquin,CA	1990	15	5	10	58
El Centro, CA	1991 1992	0 43	0 25	30 53	13 73
Yuma, AZ	1992	<u>50</u> 25	73 17	<u>43</u> 37	70 49

Table 8

Hard Amber Vitreous Counts of KOFA and presently grown varieties in Western Plant Breeders' trials.

Location	<u>Year</u>	KOFA	WestBred 881	WestBred Turbo	Yavaros-79
El Centro, CA	1990	81	76	36	34

Table 9

Black Tip percentages of KOFA and presently grown varieties of Western Plant Breeders' trials.

Location	Year	KOFA	WestBred 881	WestBred Turbo	Yavaros-79
Phoenix, AZ	1992	39	37	14	18
Yuma, AZ	1992	24	30	51	43
El Centro,CA	1992	<u>22</u> 28	30 32	<u>54</u> 40	3 <u>5</u> 32

Table 10

Quality of KOFA compared to WestBred 881 in Western Plant Breeders' trials.

· •	KOFA			WESTBRED 881		
	1990 Phoenix	1991 Phoenix	1991 El Centro	1990 Phoenix	1991 Phoenix	1991 El Centro
Test Wgt	63.6	63.5	63.8	62.6	63.4	63.8
1000 K Wgt	53.2	64.9	61.0	50.8	61.0	57.8
Wht Ash	1.68	1.54	1.58	1.53	1.63	1.56
Wht Pro	12.8	14.5	15.4	13.2	14.8	15.2
Total extract	78.2	81.4	86.2	79.2	81.8	82.8
Semolina extract	64.4	63.5	64.9	64.1	62.2	64.6
Specks	43	13	53	53	37	57
Semolina ash	.8	.59	.68	.70	.64	.64
Dust	85	95	95	85	95	90
Mixo score	6	6	7	6	6	7
Semo pro	11.8	13.3	14.5	12.2	13.6	14.2
Visual color	10.0	9.5	9.5	10.0	9.5	9.5
Cook wgt	31.5	31.6	34.8	30.0	31.3	32.4
Firmness	7.88	7.32	6.87	7.50	6.44	7.19
Residue	6.3	6.8	6.8	6.0	6.2	6.9
Alveo graph W	369 1.8	277 3.0	241 3.8	212 1.4	246 3.4	·

Table 11

Mixograph scores of KOFA and WestBred 881 in Western Plant Breeders' trials.

Location	<u>Year</u>	KOFA	WESTBRED 881
Phoenix, AZ	1991	8.8	5.4
San Joaquin, CA	1991	6.6	4.4
Yuma, AZ	1991	9.2	6.4
Phoenix late	1991	9.6	9.4
		8.6	6.4